

-	ITO.	$\alpha$	Ca	ro

☐ Home Infusion☐ Infusion Center☐ Doctor's Office

Fax Referral to (855) 644-3687 or Email: Referrals@sandshealth.com

## OCREVUS (OCRELIZUMAB) ORDER FORM

PATIENT INFORMATION						
Patient Name:	DC	B: Mobile Numbe	r:			
Patient Weight: F	Patient Height: A	llergies:				
Other Medications:						
DIAGNOSIS (Provider must specify)						
☐ Progressive Multiple Scleros						
Prior to treatment – ensure the following information is complete and attached with referral:						
□ Demographics □ Labs and tests supporting diagnosis □ Office/progress notes						
PRE-MEDICATION						
☐ Acetaminophen (Tylenol) 500 mg PO ☐ Benadryl 25mg PO ☐ Methylprednisolone (Solu-Medrol) mg						
□ Other: D		Route:				
☐ Other:	Dose:	Route:				
MEDICATION						
MEDICATION	DOSE	ROUTE	FREQUENCY			
Ocrevus	☐ Initial Dose: 300 mg on week 0 and 2, then 600 mg ☐ Maintenance: 600 mg	IV	☐ Every 6 months ☐ Every 24 months ☐ Other:			
☐ New Start Therapy ☐ Continuation of Therapy ☐ Date of last dose (if applicable):						
LABS/SPECIAL INSTRUCTIONS						
Order valid for 1 year from date of signature unless otherwise specified here:						
PROVIDER INFORMATION						
Provider Name:	P	rovider NPI:	Contact:			
Phone:	Fax:	Email Address:				
Signature:		Date:				